

## **II. CLAIMS**

1. (Previously Presented) A system comprising:

a first data storage in a mobile terminal, the first data storage being adapted to store information;

at least one remote data repository connected to a telecommunications system for storing personal content including data objects and/or information extracted from said objects, whereby at least one of the repositories is assigned for the use of each mobile terminal;

a second data storage including external data, the system further comprising i) a first communicator adapted to retrieve from said remote data repository data including, an object and/or information extracted from an object, ii) at least one predetermined criterion, defining a relationship between the retrieved data and said external data, iii) an analyzer, adapted to analyze whether said relationship fulfills a predetermined condition, and iv) a selector responsive to the analyzer, adapted to select data to be delivered to the mobile terminal when said condition is met; and

a second communicator responsive to the selector adapted to deliver the selected data to the mobile terminal.

2. (Original) A system according to claim 1, the system further comprising an accessor to an external network for retrieving said external data.

3. (Original) A system according to claim 2, wherein said external network is the Internet.

4. (Original) A system according to claim 1, wherein the external data is retrieved from an external network to which the data repository is operationally

connected.

5. (Original) A system according to claim 1, wherein items i), ii), iii) and iv) are located in a computer.

6. (Previously Presented) A method comprising:

storing information in the mobile terminal;

connecting at least one remote data repository to the telecommunications system, storing therein information including personal content including data objects and/or information extracted from said objects, the remote data repository being provided with means for accessing the information from at least one terminal;

assigning at least one of the repositories for the use of each mobile terminal;

storing external data;

retrieving from said remote data repository data including an object and/or information extracted from an object;

reading at least one predetermined criterion, defining a relationship between the retrieved data and the external data;

analyzing whether said relationship fulfills a predetermined condition;

in response to the analyzing step, selecting data to be delivered to the mobile terminal when said condition is met; and

delivering the selected data to the mobile terminal.

7. (Original) A method according to claim 6, the method further comprising the step of accessing an external network for retrieving said external data.

8. (Original) A method according to claim 7, wherein said external network is the Internet.

9. (Original) A method according to claim 6, wherein the external data is retrieved from an external network to which the data repository is operationally connected.

10. (Previously Presented) An apparatus for providing information for uses of mobile terminals, the apparatus comprising:

a data storage including external data;

a communicator adapted to retrieve from at least one remote data repository for storing personal content including data objects and/or information extracted from the objects, wherein at least one of the repositories is assigned for the use of mobile terminals and at least one predetermined criterion defines a relationship between the retrieved data and the external data;

an analyzer, adapted to analyze whether the relationship fulfills a predetermined condition; and

a selector responsive to the analyzer, adapted to select data to be delivered to a mobile terminal when the condition is met.

11. (Previously Presented) An apparatus according to claim 10, the apparatus further comprising an accessor to an external network for retrieving the external data.

12. (Previously Presented) An apparatus according to claim 11, wherein the external network is the Internet.

13. (Previously Presented) An apparatus according to claim 10, wherein the apparatus further comprises retrieval means for retrieving the external data from an external network being operationally connected to the data repository.

14. (Previously Presented) A system according to claim 1, wherein external data retrieved from the second data storage is analyzed or handled and the results are stored in the at least one remote data repository.

15. (Previously Presented) A system according to claim 1, wherein rules for selecting the data to be delivered are generated automatically or manually.